

SVAN 953 ORDERING INFORMATION

Below you will find the informations about SVAN 953 instrument configuration and related parts available in SVANTEK offer.

All parts and options not included in a basic version of SVAN 953 set or in the SVAN 953_2 version are subjects to be priced additionally.

With any questions about prices etc. please contact local representative or send an email to info@acu-vib.com.au



The basic version of SVAN 953 set consists of:

SVAN 953	Type 2 Sound Level Meter
SV 7052	Prepolarised condenser microphone cartridge 1/2" / 22 mV
SV 12	Microphone preamplifier IEPE / ICP
SC 16	USB cable for communication with the PC
SvanPC+	Base module software for data download, visualisation and easy export to other applications
Certificate	Manufactory calibration certificate
Batteries	Four AA alkaline batteries

SVAN 953_2 version, with Logger and USB Host consists of:

SVAN 953_2	Type 2 Sound Level Meter with USB Host (cannot be added afterwards)
SV 953_14	Time History Data Logger option for the SVAN 953
SV 7052	Prepolarised condenser microphone cartridge 1/2" / 22 mV
SV 12	Microphone preamplifier IEPE / ICP
SC 16	USB cable for communication with the PC
SvanPC+	Base module software for data download, visualisation and easy export to other applications
Certificate	Manufactory calibration certificate
Batteries	Four AA alkaline batteries

SVAN 953 analysis options :

SV 953_1	1/1 octave analysis option for the SVAN 953
SV 953_4	FFT analysis option for the SVAN 953
SV 953_10	Dosimeter option for the SVAN 953 (without SV 25_2 microphone)
SV 953_14	Time History Data Logger option for the SVAN 953

Accessories for sound measurements:

SV 30A_1	Acoustic calibrator 1000 kHz with two calibration levels 94 dB & 114 dB
SV 31A_1	Acoustic calibrator 1000 kHz with single calibration level 114 dB
SV 25_2	Microphone for acoustic dose measurements, 1/2" microphone size casing with integrated preamplifier and cable, type 2
SA 06	Microphone preamplifier holder mounted on the tripod (preamplifier on extension cable SC 26)
SA 21	Tripod 1.5 meter height
SC 26	Extension cable (TNC plug to TNC socket), provides connection of SV 12 to SVAN 953 – 3 meters long
SC 26/5	Extension cable (TNC plug to TNC socket), provides connection of SV 12 to SVAN 953 – 5 meters long
SC 26/10	Extension cable (TNC plug to TNC socket), provides connection of SV 12 to SVAN 953 – 10 meters long

Communication:

SV 55	Cable with integrated electronic providing RS 232 interface for SVAN 953
SV 56	IrDA interface option

Other accessories:

SA 18	Carrying bag for SVAN 95x and accessories (leather)
SA 43	Carrying case (recommended)
SA 45	Waterproof carrying case
SA 46	Belt-bag for acoustic dose measurements when SV 25_2 microphone is used
SA 47	Carrying bag (fabric material)
SA 22	Windscreen
SA 15	Power supply from mains socket
SA 17A	External battery pack